

PUBLICATIONS 2003-2009 – Service Matières et Matériaux – Fac. Sciences Appliquées - ULB

Publi2009

Probing Polymer Colloids by ^{129}Xe NMR. Locci E., Roose P., Bartik K. & Luhmer M. Journal of Colloid and Interface Science 330/2 (2009), 344-351.

15-N NMR Relaxation Data Reveal Significant Chemical Exchange Broadening in the α -Domain of Human α -Lactalbumin. Bruylants G. & Redfield C. Biochemistry 48(19) (2009), 4031-4039.

Variant selection during the γ -to- α _p phase transformation in hot-rolled bainitic TRIP-aided, L. Malet, M.R. Barnett, P. J. Jacques, S. Godet, Scripta Materialia, xxx(2009)xxx (sous presse)

2008

Mass transfer and current distribution on a metallic wire. Vande Vyver, O.; Nelissen, Gert; Weyns, Gert; Deconinck, Johan; Degrez, Marc; Godet, Stephane. Electrochimica Acta (2008), 53(22), 6452-6459.

Microstructure, texture and mechanical properties of AZ31 Mg alloy produced by equal channel angular extrusion. Vuong, L.; Jiang, L.; Jonas, J. J.; Godet, S.; Verlinden, B.; Van Houtte, P. Canadian Metallurgical Quarterly (2008), 47(4), 437-447.

Designed solution to coat titanium sheets with octacalcium phosphate. Resende, Cristiane, X.; Platt, G. M.; Dille, J.; Bastos, I. N.; Soares, G.A. Key Engineering Materials (2008), 361-363(Pt. 1, Bioceramics), 665-668.

Characterization of coating produced on titanium surface by a designed solution containing calcium and phosphate ions. Resende, C.X.; Dille, J.; Platt, G.M.; Bastos, I.N.; Soares G.A. Materials Chemistry and Physics (2008), 109, 429-435

Composition and structure of electroless-deposited Co-Re-P and Co-Re-Ni-P nanocrystalline coatings. Valova, E.; Armyanov, S.; Dille, J.; van Ingelgem, Y.; Hubin, A. Nanoscale Phenomena and Structures, edited by D.Kashchiev, Prof. M.Drinov Publishing House, Sofia (2008), 269-272

Electroless deposited Co-Re-P and Co-Re-Ni-P coatings : elemental state of the alloy components and their localization. Valova, E.; Armyanov, S.; Dille, J.; van Ingelgem, Y.; Hubin, A.; Steenhaut, O. Journal of the Electrochemical society (2008), 155 (6)D449-D458

Structural and magnetic characterization of a carburized cast austenitic steel. Silva I.C., Rebello, J.M.A., Bruno A.C., Jacques P.J., Nysten B., Dille J. Scripta Materialia (2008), 59, 1010-1013.

Residual stress during heat treatment of steel grinding balls. Camurri, C.; Carrasco, C.; Dille, J. Journal of Materials Processing Technology (2008), 208 (1-3), 450-456

Magnetic and size-based separation of MSWI fly ashes. De Boom A. Degrez M. Proceedings of the 2nd International Conference on Engineering for Waste Valorisation (Patras, Greece) (2008).

An expert software for multi-layer coatings design in surface engineering C. Bondoux, C. Degrandcourt, G. Ailincă, P. D'Ans, M. Degrez, D. Wathelet, F. Barthelemy, J. Anciaux, G. Ospina, J.-M. Jacquet, Materials Science Forum 595-598 (2008) 583-591

Thermal fatigue of anticorrosive coatings and multilayer coatings: a performance index approach D'Ans, P., C. Bondoux, C. Degrandcourt, M. Bakrim, J. Dille, L. Segers, M. Degrez, "Thermal fatigue of anticorrosive coatings and multilayer coatings: a performance index approach", Materials Science Forum 595-598 (2008) 941-950

Aromatic – Carbohydrate Interactions: an NMR and Computational Study of Model Systems

Vandenbussche S., Díaz M., Fernández-Alonso C., Pan W., Vincent S., Cuevas G., Javier Cañada F., Jiménez-Barbero J. & Bartik K. *Chemistry* **14**, 7570-7578 (2008)

Fluoride Binding in Water: A New Environment for a Known Receptor Cametti M., Dalla Cort A. & Bartik K. *Chem.Phys.Chem.* **9**, 2168-2171 (2008)

2007

An EBSD study of the orientation relationships during phase transformations in ultra high performance steels. S. Godet, Y. He, J.J. Jonas and P.J. Jacques, *Materials Science Forum*, 2007, 539-543, 4614-4619. IF: 0.498

Use of Schmid factors to select extension twin variants in extruded magnesium alloy tubes. S. Godet, L. Jiang, A.A. Luo and J.J. Jonas, *Scripta Materialia*, 55, 11, 1055-1058 IF 2.11

On the phase transformations in hot rolled TRIP-assisted multiphase steels. S. Godet, C. Georges and P.J. Jacques, *Materials Science Forum*, 2007, 539-543, 4333-4338. IF: 0.498

Influence of {10-12} extension twinning on the flow behaviour of AZ31 Mg alloy. L. Jiang, J.J. Jonas, A.A. Luo, A.K. Sachdev and S. Godet, *Mater. Sc. and Eng. A*, 2007, 445-446, 302-309 IF: 1.347

Twinning and texture development in two Mg alloys subjected to loading along three different strain paths. L. Jiang, J.J. Jonas, A.A. Luo, A.K. Sachdev and S. Godet, *Acta Materialia*, 2007, 55, 2899-3910 IF: 3.43

Grain scale assessment of variant selection in a thermomechanically processed TRIP steel, Y. He, S. Godet and J.J. Jonas, *Materials Science Forum*, 2007, 539-543, 4762-4767 IF: 0.498.

Microstructural changes caused by yttrium addition to NbTi-modified centrifugally cast HP-type stainless steels. Nunes F. C., de Almeida L. H., Dille J., Delplancke J.-L. and Le May I., *Materials Characterization* (2007), 58(2), 132-142.

Temperature distribution, phase transformations and residual stresses in heat treatment of grinding balls. Camurri C., Carrasco C. and Dille, J. *Materials Science Forum* (2007), 539-543(Pt. 3, THERMEC 2006).

Protonation Linked Equilibria and Apparent Affinity Constants : The Thermodynamic Profile of the alpha Chymotrypsin-Proflavin Interaction. G. Bruylants, R. Wintjens, Y. Looze, C. Redfield and K. Bartik, *European Biophysics Journal* 37, 11-18 (2007).

Developments in the Characterisation of the Catalytic Triad of a Chymotrypsin: Effect of the Protonation State of Asp102 on the 1H NMR Signals of His57. G. Bruylants, C. Redfield and K. Bartik, *Chem. Bio. Chem.* 8, 51-54 (2007).

Numerical study of the influence of the anode position and the electrolyte flow on the deposition of copper on a wire. G.Nelissen, G.Weyns, P.Maciel, J.Deconinck, O.Vande Vyver and H.Deconinck, *Electrochimica Acta* 52, pp.6584-6591, (2007).

Characterisation of different fractions obtained from Air Pollution Control Residues from Municipal Solid Waste Incineration with a view to valorising them. A. De Boom and M. Degrez , *Proceedings Sardinia 2007 - Eleventh symposium International Waste Management and Landfill Symposium*, Cagliari, Italy, p. 723-724.

Etat de l'art des traitements des résidus d'épuration des fumées d'incinération d'ordures ménagères (REFIOM). A. De Boom and M. Degrez, *Déchets, Sciences et Techniques*, Vol. 47, p. 4-11, (2007).

Influence of the Powder Size Distribution on the Microstructure of Cold-Sprayed Copper coatings Studied by X-ray Diffraction. T. Kairet, M. Degrez, F. Campana and J-P Janssen, *Journal of Thermal Spray Technology*, Éditeur Springer Boston, ISSN 1059-9630 (Print) 1544-1016 (Online), Vol. 16, Numbers 5-6, pp. 610-618, (2007).

Influence of the Powder Size Distribution on the Microstructure of Cold-Sprayed Copper Coatings Studied by X-ray Diffraction. T. Kairet, M. Degrez, F. Campana and J-P Janssen, Thermal Spray 2007 : Global Coating Solutions, May 14–16, 2007, Beijing, People's Republic of China, (Ed.) B.R. Marple, M.M. Hyland, Y.-C. Lau, C.-J. Li, R.S. Lima, and G.Montavon, Published by ASM International®, Materials Park, Ohio, USA, Copyright© 2007.

Nanoindentation rate dependent mechanical properties of nickel and titanium, AVS54th

E.Tam, P. Berke, T.J. Massart, M.P. Delplancke-Ogletree 2007, Seattle, États-Unis, 14/10/2007

2006

Twinning-induced softening in polycrystalline AM30 Mg alloy at moderate temperatures. L. Jiang, J.J. Jonas, A.A. Luo, A.K. Sachdev and S. Godet, Scripta Materialia, 2006, 54, 771-775. IF: 2.11.

Grain refinement of TRIP-assisted multiphase steels through strain-induced phase transformation. S. Godet, P. Harlet and P.J. Jacques, Steel Research, 2006, 77, 4, 271-275. IF: 0.512.

Transformation textures in as-hot rolled TRIP steels. J.J. Jonas, Y. He and S. Godet, Steel Research, 2006, 77, 9, 650-653. IF: 0.512.

Observations of the Gibeon meteorite and the inverse Greninger-Troiano orientation relationship. Y. He, S. Godet and J.J. Jonas, J. Appl. Cryst., 2006, 39,72-81. IF: 3.534.

Crystallographic relations between face- and body-centred cubic crystals formed under near-equilibrium conditions: Observations from the Gibeon meteorite. Y. He, S. Godet, P.J. Jacques and J.J. Jonas, Acta Materialia, 2006, 54, 1323-1334, IF 3.49.

Texture evolution during the recrystallisation of a warm rolled low carbon steel. M. Sánchez-Araiza, S. Godet, P.J. Jacques and J.J. Jonas, Acta Materialia, 2006, 54, 3085-3093. IF 3.49.

Micromechanical characterisation of TRIP-assisted multiphase steels by in situ neutron diffraction. P.J. Jacques, Q. Furnémont, S. Godet, T. Pardoën, K.T. Conlon and F. Delannay, Philosophical Magazine, 2006, 86, 16, 2371-2392, IF 1.167.

Crystallographic features of the gamma to alpha transformation in a Nb-added transformation-induced plasticity steel. Y. He, S. Godet, P.J. Jacques and J.J. Jonas, Metall. and Mater. Trans., 2006, 37A, 2641-2653, IF 1.232.

Microstructure and texture evolution during the uniaxial tensile testing of AM30 magnesium alloy. L. Jiang, J.J. Jonas, A.A. Luo and S. Godet, Proceedings of the 2006 TMS Annual Meeting, March12-16, San Antonio, 2006, 233-238.

Yttrium addition to heat-resistant cast stainless steel. Nunes F.C., Dille J., Delplancke J.-L. and de Almeida L.H., Scripta Materialia 54 (2006) 1553-1556.

A microstructural study of flash welded and aged 6061 and 6013 aluminum alloys. Barbosa C., Dille J., Delplancke J-L., Rebello J.M.A. and Acselrad O. , Materials Characterization 57 (2006) 187-192.

Recyclage interne d'effluents minéraux : intégration d'une technique membranaire (NF) dans une ligne de nickelage. P. Campion and M. Degrez, MEMPRO 2006 Intégration des membranes dans les procédés, proceedings on CD, Nancy, France (2006).

Developpement d'un nouvel équipement d'électrodialyse à hydronamique controlée mieux adapté au recyclage interne d'effluents minéraux. M. Degrez, MEMPRO 2006 Intégration des membranes dans les procédés, proceedings on CD, Nancy, France (2006).

Traitement intégré d'effluents industriels par combinaison de techniques membranaire, électrochimique et biologique. D. Roosens, M. Degrez, E.M.B. Michel, S.N. Agathos, L. Warnier and A. Van Lierde, MEMPRO 2006 Intégration des membranes dans les procédés, proceedings on CD, Nancy, France (2006).

Comparison between coatings from two different copper powders: mechanical properties, hardness and bond strength. T. Kairet, G. Di Stefano and M. Degrez, Proc. of International Thermal Spray Conference (ITSC) 2006, proceedings on CD, Seattle, USA (2006).

Mise au point d'un dépôt de (Cr,Al)N par pulvérisation cathodique en vue d'applications en fonderie de l'aluminium. P. D'Ans, M. Bakrim, M. Brizuela, A. García-Luis, L. Segers and M. Degrez, Matériaux 2006, 13-17 novembre 2006, proceedings de la conférence sur CD-ROM, Dijon, France.

Oligonucléotides chimiquement modifiés : outils diagnostiques et agents thérapeutiques prometteurs. Méthodes permettant d'étudier leur stabilité et sélectivité d'appariement. M. Bocconcelli and K. Bartik, Chimie Nouvelle 93, 101-108 (2006).

A Novel Method for the Measurement of Xenon Gas Solubility using ^{129}Xe NMR Spectroscopy. M. Luhmer, N. Segebarth, K. Bartik and E. Locci, J. Phys. Chem. A. 110(37), 10770-10776 (2006).

Do Serine Octamers Exist in Solution ? Relevance of this Question in the Context of the Origin of Homochirality on Earth. S. Vandenbussche, G. Vandenbussche, J. Reisse and K. Bartik, Eur. J. Org. Chem 2006/14, 3069-3073 (2006).

Structural Characterization of the Papaya Cysteine Proteinases at low pH. J. Huet, Y. Looze, K. Bartik, V. Raussens, R. Wintjens and P. Boussard, Biochemical and Biophysical Research Communications 341, 620-626 (2006).

Cathodic Arc Evaporation and its Applications to Thin Film Synthesis Delplancke-Ogletree Marie-Paule Materials Surface Processing by Directed Energy Techniques, 2006, Pauleau Y., -, Elsevier Limited, -, 383-410

2005

Influence of calcium ions on the crystallization of sodium bicarbonate. Y. Zhu, P. Demilie, P. Davoine, T. Cartage and M.P. Delplancke-Ogletree, Journal of Crystal Growth, 275 (2005) e1333-e1339.

Investigation of crystallization kinetics of sodium bicarbonate in a continuous stirred tank crystallizer." Y. Zhu, B. Haut, V. Halloin, M.P. Delplancke-Ogletree Journal of Crystal Growth, 2005, 282, 220-227

Optimal operational conditions during production of Lead-Calcium-Tin anodes for improve their mechanical properties. Camurri C., Araneda E., Pagliero A. and Dille J., Materials Science Forum 475 (2005) 2631-2634.

Interface between electroless amorphous Ni-Cu-P coatings and Al substrate. Valova E., Dille J., Armanov S., Georgieva J., Tatchev D., Marinov M., Delplancke J-L., Steenhaut O. and Hubin A., Surface and coating technology 190 (2005) 336-344.

Crystalline and amorphous electroless Co-W-P coatings. Armanov S., Valova E., Franquet A., Dille J., Delplancke J-L., Hubin A., Steenhaut O., Kovacheva D., Tatchev D. and Vassilev Ts., Journal of The Electrochemical Society 152 (2005) C612-C619.

Investigation of the primary crystallisation of Ni-17 at.% P alloy by SAXS. Tatchev D., Goerigk G., Valova E., Dille J., Kranold R., Armanov S. and Delplancke J-L., Journal of Applied Crystallography 38 (2005) 787-794.

Cold Gas Dynamic Spray (CGDS) copper deposition: a comparative study of singles splats on aluminium alloy (AA2014) and steel substrate. T. Kairet, G. Di Stefano, G. D. Mc Cartney, P. Shipway and M. Degrez, METAL2005, proceedings on CD, Hradec nad Moravici, République Tchèque (2005).

Synthesis and characterisation of LiNiMnO₂ powders for Li- ion batteries. C. Vanoverbeek, G. Wallaert and P.H. Duvinéaud , Proceedings LiBD-3 Electrode materials, Arcachon, France 22-27 May 2005, 9-10.

The possible role of partial dislocations in facilitating transformations of the Nishiyama-Wassermann type. J.J. Jonas, Y. He and S. Godet, Scripta Materialia, 2005, 52, 175-179. IF: 1.633.

Multiscale Characterisation of the Transformation Textures in High Performance Steels. S. Godet, Y. He, J.J. Jonas and P.J. Jacques, Material Science Forum, 2005, 495-497, 381-386. IF: 0.602.

Representation of misorientations in Rodrigues-Frank space: application to the Bain, Kurdjumov-Sachs, Nishiyama-Wassermann, Pitsch and Greninger-Troiano orientation relationships. J.J. Jonas, Y. He and S. Godet, Material Science Forum, 2005, 495-497, 1177-1182. IF: 0.602.

Representation of misorientations in Rodrigues-Frank space: application to the Bain, Kurdjumov-Sachs, Nishiyama-Wasserman and Pitsch orientation relationships in the Gibeon meteorite. Y. He, S. Godet and J. J. Jonas, Acta Materialia, 2005, 53, 1179-1190. IF: 3.059.

Crystallographic relationships between FCC and BCC crystals: A study using EBSD techniques. Y He, S. Godet, P.J. Jacques and J.J. Jonas, Solid State Phenomena, 2005, 105, 121-126. IF: 0.687.

Particle-stimulated nucleation of dynamic recrystallisation in AZ31 alloy at elevated temperatures. L. Jiang, G. Huang, S. Godet, J.J. Jonas and A.A. Luo, Material Science Forum, 2005, 488-489, 261-234. IF: 0.602.

Effect of rolling temperature, reduction and alloying additions on the texture of warm rolled steels. M. Sánchez-Araiza, S. Godet and J.J. Jonas, Material Science Forum, 2005, 495-497, 381-386. IF: 0.602.

Variant selection during the transformation of deformed austenite in a niobium bearing TRIP steel. Y. He, S. Godet, P.J. Jacques and J.J. Jonas, Material Science Forum, 2005, 495-497, 345-350. IF: 0.602.

A study of the γ -to- α transformations using EBSD techniques. Y. He, S. Godet P.J. Jacques and J.J. Jonas, Material Science Forum, 2005, 495-497, 1201-1206. IF: 0.602.

Microscale characterisation of deformed microstructures of TRIP-assisted and multiphase steels. A. Péteín, L. Ryelandt, S. Godet and P.J. Jacques, Material Science Forum, 2005, 495-497, 459-464. IF: 0.602.

Effect of hot band grain size on the anisotropy of warm rolled low carbon steels. M. Sánchez-Araiza, S. Godet, P.J. Jacques and J.J. Jonas, Material Science Forum, 2005, 500-501, 787-794 IF: 0.602.

Development of high performance Nb-added hot rolled bainitic steels presenting a TRIP effect. C. Georges, S. Godet and P.J. Jacques, Material Science Forum, 2005, 500-501, 437-444 IF: 0.602.

Thermomechanical Processing of TRIP-assisted multiphase steels. S. Godet and P.J. Jacques, Proc. of the second International Conference on Thermomechanical Processing of Steels, 2004, Marcel Lamberigts, 341-348.

Applicability of the Bain, Kurdjumov-Sachs, Nishiyama-Wassermann, Greninger-Troiano and Pitsch relations to transformations in the Gibeon meteorite and in a TRIP steel. J.J. Jonas, Y. He and S. Godet, Proceedings of the conference on solid-solid phase transformations in inorganic materials, Phoenix, AZ, May 29 - June 3 2005, 2, 581-591.

Orientation relationships and variant selection during the γ to α_b in a hot rolled TRIP steel. S. Godet, Y. He, P.J. Jacques and J.J. Jonas, Proceedings of the conference on solid-solid phase transformations in inorganic materials, Phoenix, AZ, May 29 - June 3 2005, 1, 545-551.

Elevated temperature property measurements for warm forming magnesium and aluminum alloy tubes. Martin P., Baragar D., Boyle K.P., Luo A.A, Godet S, Jonas J.J. and Neale K.W, in the Proceedings of the 2nd international conference on Light Metals Technology, St Wolfgang, Austria, 8-10 June, 2005, 51-56.

Crystallographic relationships between taenite and kamacite in the Gibeon meteorite. Y. He, S. Godet, P.J. Jacques and J.J. Jonas, Proceedings of the conference on solid-solid phase transformations in inorganic materials, Phoenix, AZ, May 29 - June 3 2005, 1, 161-168.

Differential Scanning Calorimetry in Life Science : Thermodynamics, Stability, Molecular Recognition and Application in Drug Design. G. Bruylants, J. Wouters and C. Michaux, Current Medicinal Chemistry 12, 2011-2020 (2005).

Xenon NMR as a probe for microporous and mesoporous solids, polymers, liquid crystals, solutions, flames, proteins, imaging K. Bartik, Ph. Choquet, A. Constantinesco, G. Duhamel, J. Fraissard, J-N. Hyacinthe, J. Jokisaari, E. Locci, Th. J. Lowery, M. Luhmer, Th. Meersmann, I. L. Moudrakovski, G. E. Pavlovskaya, K. L. Pierce, A. Pines, J. A. Ripmeester, V-V. Telkki and W. S. Veeman, L'Actualité Chimique 287, 16-33 (2005).

Alice, son chat, le lait et la chiralité B. Debecker and K. Bartik, *L'artichaut* 22, 33-36 (2005).

Use of Isothermal Titration Calorimetry for the Study of Intercations between (bio)molecules G. Bruylants and K. Bartik, *Chimie Nouvelle* 23 (88), 9-14 (2005) .

What is a reaction rate? G. Schmitz, *J. Chem Edu.* 87 (2005) 1091.

2004

Active carbon production from used tire in two-stage procedure: industrial pyrolysis and bench scale activation with H₂O-CO₂ mixture. Zabaniotou A., Madau P., Oudenne P. D., Jung C. G., Delplancke M.-P. and Fontana A., *Journal of Analytical and Applied Pyrolysis* (2004), 72(2), 289-297.

Application of density meter in the supersaturation determination of the two component equilibrium systems. Y. Zhu, P. Demilie, P. Davoine and M.P. Delplancke-Ogletree, *Journal of Crystal Growth* 263 (2004) 459-465.

Synthesis and characterization of LiNi_{1-x-y}CoxAlyO₂ cathode materials for Li-ion batteries by the PVA precursor method. P.H. Duvigneaud and T. Segato, *J.Eur.Ceram.Soc.* 24(2004) 1375-1380.

Non-linear optical measurements and crystalline characterization of CdTe nanoparticles produced by the "electropulse" technique. J. Loicq, Y. Renotte, J-L. Delplancke and Y. Lion, *New Journal of Physics*, 6 (2004), 32-44.

Comparison of the structure and chemical composition of crystalline and amorphous electroless Ni-W-P coatings. Valova E., Armyanov S., Franquet A., Petrov K., Kovacheva D., Dille J., Delplancke J-L., Hubin A., Steenhaut O. and Vereecken J., *Journal of the Electrochemical Society* 151 (2004) C385-C391.

Room temperature cleavage fracture of FeMnAlC steels. Acelrad O., Dille J., Pereira L.C. and Delplancke J-L., *Metallurgical and Materials Transactions* 35A (2004) 3863-3866.

Recrystallization of a cold-rolled low-carbon steel by cold-plasma-discharge rapid annealing. Stockemer J. and Vanden Brande P., *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* (2003), 34A(6), 1341-1348.

Low carbon steel recrystallization by cold plasma heating. Stockemer J. and Vanden Brande, P., *Recrystallization and Grain Growth, Proceedings of the Joint International Conference, 1st, Aachen, Germany, Aug. 27-31, 2001* (2001), 2 1131-1136.

Stress development and relaxation in nanostructured films deposited by cathodic vacuum arc. M.P. Delplancke-Ogletree and O.R. Monteiro. In "Nanostructured Thin Films and Nanodispersion Strengthened Coatings.", edited by A.A. Voevodin, D.V. Shtansky, E.A. Levashov, J.J. Moore, ATO Science Series, Kluwer Academic Publishers, Dordrecht, 2004, p167-174.

Titanium nitride coatings on copper alloy prepared by d.c. reactive magnetron sputtering. Carrasco C., Segers L., Benavente B. and Vergara V., *Journal of Materials Processing Technology* (2004), 145(3), 371-376. CODEN: JMPTEF ISSN:092

Combined industrial wastewater treatment by association of electrochemical and biological techniques and membrane filtration (MF, UF, NF). D. Roosens, M. Degrez, E.M.B. Michel, S.N. Agathos, C. Dessaucy, and A. Van Lierde, *Second national conference of CIWEM, proceedings on CD , Wakefield, Royaume Uni* (2004).

Modelling the Bray-Liebhafsky reaction – Selforganization in nonequilibrium Systems. G.Schmitz, *Society of Physical Chemists of Serbia*, p.58, Belgrade, 2004.

Simulation of Complex Oscillations Based on a Model of the Bray-Liebhafsky reaction. Selforganization in nonequilibrium Systems. Lj.Kolar-Anic, T.Grozdic, V.Vukojevic, G.Schmitz and S.Anic, *Society of Physical Chemists of Serbia*, p.115, Belgrade, 2004.

Inorganic Reactions of Iodine(+1) in Acidic Solutions. G.Schmitz, *Int.J.Chem.Kinet.*, 36 (2004) 480.

Phase Relationships in the UO₂-BaO-ZrO₂-MoO_x System. K. Mwamba, M. Verwerft and P.H. Duvigneaud Proceedings 8th EcerS Conference, Istanbul, 28 june - 4 july 2003. *Key Engineering Materials Vols 264-268 (2004) 1051-1054.*

Effect of TiO₂ additions on the densification of MgO and MgO-CaO mixtures. T. Lucion, P.H. Duvigneaud, A. Laudet, J.F. Stenger and E. Guegen. Proceedings 8th EcerS Conference, Istanbul, 28 june - 4 july 2003 *Key Engineering Materials Vols 264-268 (2004) 209-212.*

Synthesis of mixed-oxide powders by gel formation in aqueous medium. P.H. Duvigneaud. Proceedings of International Symposium on Ceramic Materials and Engineering 2004, Jingdezhen, China, 9-12 octobre 2004, 56-57 (invité).

Grain Scale Characterisation of Transformation Textures. S. Godet, J.C. Glez, Y. He, J.J. Jonas and P.J. Jacques, *J. Appl. Cryst.*, 2004, 37, 417-425. IF: 2.324.

Critical assessment of the micromechanical behaviour of dual phase and TRIP-assisted multiphase steels. Q. Furnémont, G. Lacroix, S. Godet, K.T. Conlon and P.J. Jacques, *Canadian Metallurgical Quarterly*, 2004, vol. 43(1), 35-42. IF: 0.478.

Thermomechanical Processing of TRIP-assisted multiphase steels. S. Godet and P.J. Jacques, Proc. of the second International Conference on Thermomechanical Processing of Steels, 2004, Marcel Lamberigts, 341-348.

Dynamic recrystallisation in coarse-grained AZ31 alloy at elevated temperature. L. Jiang, S. Godet, G. Huang, A.A. Luo and J.J. Jonas, COM 2004, 23-25 August, Hamilton, 2004, 477-492.

Warm Forming of Aluminum Alloy Tubes. Martin, P., Baragar, D., Godet, S, Jonas, J.J., Neale, K.W. and Luo, A.A., in the Proceedings North American Hydroforming Conference and Exhibition, Tube and Pipe Association, Rockford, IL, Waterloo, Canada, Sept 27-29, 2004.

Stereochemical Studies by Molecular Palpation. E. Locci, K. Bartik, N. Segebarth, M. Luhmer and J. Reisse, *J. Phys. Org. Chem.* 17, 787-792 (2004).

Combined industrial wastewater treatment by association of electrochemical and biological techniques and membrane filtration (MF, UF, NF). D. Roosens, M. Degrez, E.M.B Michel, S.N. Agathos, C. Dessaucy, and A. Van Lierde, Second national conference of CIWEM, proceedings on CD, Wakefield, Royaume-Uni (2004).

2003

Copper electrorefining and electrowinning. Proceedings of the Copper 2003- Cobre 2003 5th international conference, Santiago (Chile), Vol V, J.E. Dutrizac and C.C. Clement Eds., The Canadian institute of mining, metallurgy and petroleum, Montréal, Canada (2003), 339-349.

Characterization and behaviour of Ti/TiO₂/noble metal anodes. Gueneau de Mussy J-P., Macpherson J. and Delplancke J-L., *Electrochimica Acta* (2003), 48, 1131-1141.

TEM and X-ray diffraction investigation of the structural characteristics of the microporous oxide film formed on polycrystalline Ti. Gueneau de Mussy J-P., Langelaan G., Decerf J. and Delplancke J-L., *Scripta Materialia* (2003), 48(1), 23-29.

Engineering properties of superhard films with ion energy and post-deposition processing. O.R. Monteiro and M.P. Delplancke-Ogletree, *AIP conference Proceedings* 680 (2003) 630-634.

Study of the solubility and the metastable zone of 1,3-dihydroxyacetone for the drowning-out process. Zhu Y., Youssef D., Porte C., Rannou A., Delplancke-Ogletree M. P. and Lung-Somarriba B. Loi Mi., *Journal of Crystal Growth* (2003), 257(3-4), 370-377.

Boron carbide coatings prepared by cathodic arc deposition. Monteiro O. R., Delplancke-Ogletree M.-P. and Klepper C., *C Journal of Materials Science* (2003), 38(14), 3117-3120.

Investigation of non-hydrogenated DLC:Si prepared by cathodic arc. O.R. Monteiro and M.P. Delplancke-Ogletree, *Surface and Coatings Technology* 163-164 (2003) 144-148.

An international round-robin experiment to evaluate the consistency of nanoindentation hardness measurements of thin films. Lee Kitty W., Chung Yip-Wah, Chan C. Y., Bello I., Lee S. T., Karimi Ayatollah, Patscheider Joerg, Delplancke-Ogletree M. P., Yang Dehua, Boyce Brad and Buchheit Thomas, *Surface and Coatings Technology* (2003), 168(1), 57-61.

Effect of the homogenisation conditions on the extrudability and high temperature resistance of AA6063 aluminum alloy. Lassance D., Dille J., Delplancke J-L., Pardoën T., Ryelandt L., Delannay F. and Ryckeboer M., *Materials Science Forum* (2003) 426-432.

Simulations of the hot rolling of TRIP-assisted multiphase steels. S. Godet, P.J. Jacques, P. Harlet and F. Delannay, *Materials Science Forum*, 2003, vol. 426-4, 1273-1278. IF: 0.602.

Critical assessment of the bainite transformation of finely grained and deformed austenite. S. Godet, P. Harlet, F. Delannay and P.J. Jacques, *Materials Science Forum*, 2003, vol. 426-4, 1433-1438. IF: 0.602.

On the austenite retention in low alloy steels, Austenite Formation and Decomposition. S. Godet, C. Georges and P.J. Jacques, *Proc. Symp. held at the Materials Science and Technology 2003 meeting in Chicagi, Ill, Nov. 9-12 2003*, eds. E.D. Damm and M.J. Merwin, ed. ISS and TMS, Warrendale, Pennsylvania, 2003, 523-536.

Comparison of the NMR enantiodifferentiation of a chiral Ruthenium(II) complex of C2 symmetry using the TRISPHAT anion and a lanthanide shift reagent. G. Bruylants, C. Bresson, A. Boisdenghien, F. Piérard, A. Kirsch-De Mesmaeker, J. Lacour and K. Bartik, *New J. Chem.* 27, 748-75 (2003).

The Potential of the Xenon "Spin-Spy" Methodology for the Study of Configurational Equilibria in Solution. E. Locci, J. Reisse and K. Bartik, *Chem. Phys. Chem.* 4, 305-308 (2003).
