

Publications de Michel LUHMER (liste mise à jour le 10 octobre 2010)

Période 1988-1990

- (1) "A New Method for the Estimation of Interaction Energies in Lennard-Jones Pure Liquids and Solutions." ; A. Dejaegere, M. Claessens, M. Luhmer, M. Bardiaux, J. Reisse, J. Phys. Chem. 92(25), 7093-7097 (1988).
<http://dx.doi.org/10.1021/j100336a013> I.F. 2.754
- (2) "Interpretation of the Solvent Effect on the Screening Constant of Xenon-129." ; M. Luhmer, A. Dejaegere, J. Reisse, Magn. Reson. Chem. 27(10), 950-952 (1989).
<http://dx.doi.org/10.1002/mrc.1260271009> I.F. 1.006
- (3) "A Comparison between the P.I.S.A. model and the RAM theory: their abilities to reproduce internal energy as calculated by Monte Carlo simulations. " ; M. Luhmer, A. Dejaegere, J. Reisse, Mol. Phys. 71(4), 843-863 (1990).
<http://dx.doi.org/10.1080/00268979000102151> I.F. 1.839

Période 1991-1995

- (4) "Study of NMR Relaxation of Xenon-131 in Quadrupolar Solvents. " ; A. Dejaegere, M. Luhmer, J. Reisse, J. Magn. Reson. 91(2), 362-374 (1991).
[http://dx.doi.org/10.1016/0022-2364\(91\)90198-3](http://dx.doi.org/10.1016/0022-2364(91)90198-3) I.F. 2.150
- (5) "Magnetic Relaxation of Xenon-131 Dissolved in Benzene. A study by Molecular Dynamics and Monte Carlo Simulations." ; M. Luhmer, D. Van Belle, J. Reisse, M. Odellius, A. Laaksonen, J. Kowalewski, J. Chem. Phys. 98(2), 1566-1578 (1993).
<http://dx.doi.org/10.1063/1.464273> I.F. 3.301
- (6) "The Importance of Quadrupolar Interactions in Molecular Recognition processes Involving a Phenyl Group." ; M. Luhmer, K. Bartik, A. Dejaegere, P.R. Bovy, J. Reisse, Bull. Soc. Chim. France 131(5), 603- 606 (1994).
<http://cat.inist.fr/?aModele=afficheN&cpsidt=3421948>
- (7) "Relative polarity of 1,3-dioxane and 1,4-dioxane Studied by the Reaction Field Theory and via Computer Simulations." ; M. Luhmer, M.-L. Stien, J. Reisse, Heterocycles 37(2), 1041-1051 (1994).
<http://dx.doi.org/10.3987/COM-93-S113> I.F. 1.015
- (8) "Intermolecular Dipole-Dipole Spin Relaxation of Xenon-129 dissolved in Benzene. A Molecular Dynamics Simulation Study." ; M. Luhmer, A. Moschos, J. Reisse, J. Magn. Reson. A 113(2), 164-168 (1995).
<http://dx.doi.org/10.1006/jmra.1995.1076> I.F. 2.150
- (9) "Molecular Dynamics Simulation Study of the NMR Relaxation of Xenon-131 in 1,3-dioxane and 1,4-dioxane." ; M. Luhmer, J. Reisse, J. Magn. Reson. A 115(2), 197-205 (1995).
<http://dx.doi.org/10.1006/jmra.1995.1167> I.F. 2.150
- (10) "Probing Molecular Cavities by Xenon NMR: Study of α -Cyclodextrin in Solution." ; K. Bartik, M. Luhmer, S.J. Heyes, R. Ottinger, J. Reisse, J. Magn. Reson. B 109(2) 164-168 (1995).
<http://dx.doi.org/10.1006/jmrb.1995.0005> I.F. 2.150

Période 1996-2000

- (11) "Binding of Ru(II) Polyaaromatic Complexes to DNA: a Na-23 Spin-lattice Relaxation Study." ; M. Casu, G. Saba, A. Lai, M. Luhmer, A. Kirsch-De-Mesmaeker, C. Moucheron, J. Reisse, Biophys. Chem. 59(1-2), 133-138 (1996).
[http://dx.doi.org/10.1016/0301-4622\(95\)00114-X](http://dx.doi.org/10.1016/0301-4622(95)00114-X) I.F. 1.578
- (12) "High-Resolution Si-29 Solid-State NMR Study of Silicon Functionality Distribution on the Surface of Silicas." ; M. Luhmer, J.B. d'Espinose, H. Hommel, A.P. Legrand, Magn. Reson. Imaging 14(7-8), 911-913 (1996).
[http://dx.doi.org/10.1016/S0730-725X\(96\)00180-4](http://dx.doi.org/10.1016/S0730-725X(96)00180-4) I.F. 1.452
- (13) "Group Contribution Analysis of Xenon NMR Solvent Shifts." ; M. Luhmer, K. Bartik, J. Phys. Chem. A 101(29), 5278-5283 (1997).
<http://dx.doi.org/10.1021/jp970464s> I.F. 2.754
- (14) "Quadrupole NMR relaxation of the noble gases dissolved in simple liquids and solutions. A critical review of experimental data in the light of computer simulation results." ; M. Luhmer, J. Reisse, Prog. Nucl. Magn. Res. Spectros. 33(1), 57-76 (1998).
[http://dx.doi.org/10.1016/S0079-6565\(98\)00018-1](http://dx.doi.org/10.1016/S0079-6565(98)00018-1) I.F. 5.062
- (15) "Xe-129 and H-1 NMR Study of the Reversible Trapping of Xenon by Cryptophane-A in Organic Solution." ; K. Bartik, M. Luhmer, J.-P. Dutasta, A. Collet, J. Reisse, J. Am. Chem. Soc. 120(4), 784-791 (1998).
<http://dx.doi.org/10.1021/ja972377j> I.F. 6.025
- (16) "Study of Xenon Binding in Cryptophane-A Using Laser-Induced NMR Polarization Enhancement." ; M. Luhmer, B.M. Goodson, Y.-Q. Song, D.D. Laws, L. Kaiser, M. Cyrier, A. Pines, J. Am. Chem. Soc. 121(14), 3502-3512 (1999).
<http://dx.doi.org/10.1021/ja9841916> I.F. 6.025

- (17) "Study by ^{23}Na NMR, ^1H NMR and UV spectroscopy of the thermal stability of an 11 basepair oligonucleotide" ; P. Cahen, M. Luhmer, C. Fontaine, C. Morat, J. Reisse, K. Bartik, *Biophysical Journal* **78**(2), 1050-1069 (2000).
<http://www.biophysj.org/cgi/content/abstract/78/2/1059> I.F. 4.462
- (18) "Furanocembranoid Diterpenes as Defensive Compounds in the Dufour Gland of the Ant *Crematogaster brevispinosa rochai*" ; S. Leclercq, J.C. de Biseau, J.C. Braekman, D. Dalozé, Y. Quinet, M. Luhmer, A. Sundin, J. M. Pasteels, *Tetrahedron* **56**(14), 2037-2042 (2000).
[http://dx.doi.org/10.1016/S0040-4020\(00\)00113-7](http://dx.doi.org/10.1016/S0040-4020(00)00113-7) I.F. 2.356
- (19) "Triterpene saponins in the defensive secretion of a chrysomelid beetle, *Platyphora ligata* (Coleoptera: Chrysomelidae)" ; V. Plasman, J.C. Braekman, D. Dalozé, J. M. Pasteels, M. Luhmer, D. Windsor, *J. Nat. Prod.* **63**(5), 646-649 (2000).
<http://dx.doi.org/10.1021/np990406t> I.F. 1.878
- (20) "Can Monatomic Xenon Become Chiral ?" ; K. Bartik, M. El Haouaj, M. Luhmer, A. Collet, J. Reisse, *Chem. Phys. Chem.* **1**(4), 221-224 (2000).
<http://www3.interscience.wiley.com/journal/76504455/abstract> I.F. 4.217

Période 2001-2005

- (21) "Molecular polarization and molecular chiralization : the first example of a chiralized xenon atom." ; K. Bartik, M. Luhmer, A. Collet, J. Reisse, *Chirality* **13**(1), 2-6 (2001).
<http://www3.interscience.wiley.com/journal/76503443/abstract> I.F. 1.554
- (22) "NMR study of the reversible complexation of xenon by cucurbituril." ; M. El Haouaj, M. Luhmer, Y.H. Ko, K. Kim, K. Bartik, *J. Chem. Soc. Perkin Trans. 2* **5**, 804-807 (2001).
<http://dx.doi.org/10.1039/b008623i> I.F. 1.837
- (23) "Probing proteins in solution by Xe-129 NMR spectroscopy." ; E. Locci, Y. Dehouck, M. Casu, G. Saba, A. Lai, M. Luhmer, J. Reisse, K. Bartik, *J. Magn. Reson.* **150**(2), 161-174 (2001).
<http://dx.doi.org/10.1006/jmre.2001.2325> I.F. 2.332
- (24) "NMR investigation of the complexation of neutral guests by cucurbituril." ; M. El Haouaj, Y.H. Ko, M. Luhmer, K. Kim, K. Bartik, *J. Chem. Soc. Perkin Trans. 2* **11**, 2104-2107 (2001).
<http://dx.doi.org/10.1039/b105535f> I.F. 1.837
- (25) "The diastereoisomeric forms of a mononuclear Ru(II) complex bearing a bis-phenanthroline Troger's base" ; C. Bresson, M. Luhmer, M. Demeunynck, A. Kirsch - De Mesmaeker, F. Pierard, *Tetrahedron Letters* **45**(13), 2863-2866 (2004).
<http://dx.doi.org/10.1016/j.tetlet.2004.01.096> I.F. 2.480
- (26) "Stereochemical studies by molecular palpation. " ; E. Locci, K. Bartik, N. Segebarth, M. Luhmer, J. Reisse, *Phys. Org. Chem.* **17**(9), 787-792 (2004).
<http://dx.doi.org/10.1002/poc.795> I.F. 1.211
- (27) "Xenon NMR as a probe for microporous and mesoporous solids, polymers, liquid crystals, solutions, flames, proteins, imaging" ; K. Bartik, P. Choquet, A. Constantinesco, G. Duhamel, J. Fraissard (coord.), J.-N. Hyacinthe, J. Jokisaari, E. Locci, T.J. Lowery, M. Luhmer, T. Meersmann, I.L. Moudrakovski, G.E. Pavlovskaya, K.L. Pierce, A. Pines, J.A. Ripmeester, V.-V. Telkki et W.S. Veeman, *L'Actualité Chimique* **287**, 16-33 (2005).
http://www.lactualitechimique.org/larevue_article.php?cle=1159 I.F. 0.132
- (28) "Photoreaction of $\text{Ru}(\text{hat})_2\text{phen}^{2+}$ with guanosine-5'-monophosphate and DNA: Formation of new types of photoadducts. " ; R. Blasius, H. Nierengarten, M. Luhmer, J.F. Constant, E. Defrancq, P. Dumy, A. van Dorselaer, C. Moucheron, A. Kirsch-De Mesmaeker, *Chem. Eur. J.* **11**(5), 1507-1517 (2005).
<http://dx.doi.org/10.1002/chem.200400591> I.F. 4.907
- (29) "A sugar ester and an iridoid glycoside from *Scrophularia ningpoensis*." ; A.T. Nguyen, J. Fontaine, H. Malonne, M. Claeys, M. Luhmer, P. Duez, *Phytochemistry* **66**(10), 1186-1191 (2005).
<http://dx.doi.org/10.1016/j.phytochem.2005.03.023> I.F. 2.780

Période 2006-2010

- (30) "Alkaloids and amides from *Triclisia sacleuxii*" ; S. Murebwayire, B. Diallo, M. Luhmer, R. Vanhaelen-Fastre, M. Vanhaelen, P. Duez, *Fitoterapia* **77**(7-8), 615-617 (2006).
<http://dx.doi.org/10.1016/j.fitote.2006.09.007> I.F. 0.908
- (31) "Novel Method for the Measurement of Xenon Gas Solubility Using ^{129}Xe NMR Spectroscopy" ; N. Segebarth, L. Aietjeddig, E. Locci, K. Bartik, M. Luhmer, *J. Phys. Chem. A* **110**(37), 10770-10776 (2006).
<http://dx.doi.org/10.1021/jp062679k> I.F. 3.047
- (32) "Antiradical activities of three monoglucoside anthocyanins isolated from *Glycine max*" ; A. Hema, E. Pale, P. Duez, M. Luhmer, M. Nacro, *Journal de la Société Ouest-Africaine de Chimie* **23**, 61-66 (2007).

- (33) "Self-assembly via ionic interactions of calix[6]arene-based receptors displaying remarkable host-guest properties toward neutral guests" ; S. Le Gac, M. Luhmer, O. Reinaud, I. Jabin, *Tetrahedron* **63**(44), 10721-10730 (2007).
<http://dx.doi.org/10.1016/j.tet.2007.06.122> I.F. 2.869
- (34) "Calix[6]tris-(thio)ureas: heteroditopic receptors for the cooperative binding of organic ion-pairs" ; M. Hamon, M. Ménand, S. Le Gac, M. Luhmer, V. Dalla, I. Jabin, *J. Org. Chem.* **73**(18), 7067-7071 (2008).
<http://dx.doi.org/10.1021/jo800712q> I.F. 3.952
- (35) "NMR Study of the Reversible Trapping of SF₆ by Cucurbit[6]uril in Aqueous Solution" ; L. Fusaro, E. Locci, A. Lai, M. Luhmer, *J. Phys. Chem. B* **112**(47), 15014-15020 (2008).
<http://dx.doi.org/10.1021/jp806685z> I.F. 4.189
- (36) "Probing Polymer Colloids by ¹²⁹Xe NMR" ; E. Locci, P. Roose, K. Bartik, M. Luhmer, *J. Colloid Interface Sci.* **330**(2), 344-351 (2009).
<http://dx.doi.org/10.1016/j.jcis.2008.10.061> I.F. 3.019
- (37) "Probing systems in solution by NMR using sulfur hexafluoride as a spy-molecule" ; L. Fusaro, E. Locci, A. Lai, M. Luhmer, *J. Phys. Chem. B* **113**(21), 7599-7605 (2009).
<http://dx.doi.org/10.1021/jp9008042> I.F. 3.471
- (38) "Induced-Fit Encapsulation by a 1,3,5-Alternate Calix[6]arene" ; M. Ménand, A. Leroy, J. Marrot, M. Luhmer, I. Jabin, *Angew. Chem. Int. Ed.* **48**(30), 5509-5512 (2009).
<http://dx.doi.org/10.1002/anie.200901722> I.F. 11.829
- (39) "Variable-field relaxometry of iron-containing human tissues: a preliminary study"; A. Hocq, N. Brouette, S. Saussez, R. N. Muller, M. Luhmer, P. Gillis, Y. Gossuin, *Contrast Media and Mol Imaging* **4**(4), 157-164 (2009).
<http://dx.doi.org/10.1002/cmml.275> I.F. 3.392
- (40) "Exploring Photoreactions between Polyazaaromatic Ru(II) Complexes and Biomolecules by Chemically Induced Dynamic Nuclear Polarization Measurements" ; S. Perrier, E. Mugeniwabagara, A. Kirsch - De Mesmaeker, P.J. Hore, M. Luhmer, *J. Am. Chem. Soc.* **131**(34), 12458-12465 (2009).
<http://dx.doi.org/10.1021/ja9024287> I.F. 8.580
- (41) "On the fluxional behaviour of Dess-Martin Periodinane: a DFT and ¹⁷O NMR study" ; L. Fusaro, M. Luhmer, G. Cerioni, F. Mocchi, *J. Org. Chem.* **74**(22), 8818-8821 (2009).
<http://dx.doi.org/10.1021/jo901841v> I.F. 4.219
- (42) "Diffusion Coefficients in Multicomponent Organic Liquid Mixture Measured by the Open Ended Capillary Technique"; Q. Galand, M. Luhmer, S. VanVaerenbergh, *High Temperatures – High Pressures* **38**(4), 329-342 (2009).
http://www.oldcitypublishing.com/HTHP/HTHPcontents/HTHP_38.4_contents.html
- (43) "Highlighting Cavities in Proteins by NMR Using Sulfur Hexafluoride as a Spy-Molecule"; L. Fusaro, E. Locci, A. Lai, M. Luhmer, *J. Phys. Chem. B* **114**(9), 3398-3403 (2010).
<http://dx.doi.org/10.1021/jp100098u> I.F.: 3.471 (2009)
- (44) "A Ru^{II}-TAP complex, photoreagent for Tryptophan containing peptides: Structure of the covalent photo-adduct"; N. Gauthier, J. De Winter, P. Gerbaux, C. Moucheron, M. Luhmer*, A. Kirsch - De Mesmaeker*, *Inorg. Chem.* **49**(15), 6796-6798 (2010).
<http://dx.doi.org/10.1021/ic101151e> I.F.: 4.657 (2009)
- (45) "An Allosteric Heteroditopic Receptor for Neutral Guests and Contact Ion Pairs with a Remarkable Selectivity for Ammonium Fluoride Salts"; A. Lascaux, S. Le Gac, J. Wouters, M. Luhmer, I. Jabin, *Org. Biomol. Chem.* **8**, 4607-4616 (2010).
<http://dx.doi.org/10.1039/c0ob00211a> I.F.: 3.762 (2009)
- (46) "DFT interpretation of the ¹H photo-CIDNP enhancements characterizing photo-reduced polyazaaromatic Ru(II) coordination complexes"; E. Cauet, S. Bogatko, E. Mugeniwabagara, L. Fusaro, A. Kirsch - De Mesmaeker, M. Luhmer, N. Vaeck, *Inorg. Chem.* **49** (17), 7826-7831 (2010).
<http://dx.doi.org/10.1021/ic100636j> I.F.: 4.657 (2009)