

Publications du laboratoire de Microbiologie

2001-2012

- Clantin, B., Tricot, C., Lonhienne, T., Stalon, V. and Villeret, V. (2001).
Probing the role of oligomerization in the high thermal stability of *Pyrococcus furiosus* ornithine carbamoyltransferase by site-specific mutants.
Eur. J. Biochem. 268 : 3937-3942.
- Durbecq, V., Sainz, G., Oudjama, Y., Clantin, B., Bompard-Gilles, C., Tricot, C., Caillet, J., Stalon, V., Droogmans, L. and Villeret, V. (2001).
Crystal structure of isopentenyl diphosphate:dimethylallyl diphosphate isomerase.
EMBO J. 20 : 1530-1537.
- Legrain, C., Villeret, V., Roovers, M., Tricot, C., Clantin, B., Van Beeumen, J., Stalon, V. and Glansdorff, N. (2001).
Ornithine carbamoyltransferase from *Pyrococcus furiosus*.
Methods Enzymol. 331 : 227-235.
- Oudjama, Y., Durbecq, V., Sainz, G., Clantin, B., Tricot, C., Stalon, V., Villeret, V. and Droogmans, L. (2001).
Preliminary structural studies of *Escherichia coli* isopentenyl diphosphate isomerase.
Acta Crystallogr. D Biol. Crystallogr. 57 : 287-288.
- Uriarte, M., Marina, A., Ramon-Maiques, S., Rubio, V., Durbecq, V., Legrain, C. and Glansdorff, N. (2001).
Carbamoyl phosphate synthesis: carbamate kinase from *Pyrococcus furiosus*.
Methods Enzymol. 331 : 236-247.
- Dubois, E., Scherens, B., Vierendeels, F., Ho, M.M., Messenguy, F. and Shears, S.B. (2002).
In *Saccharomyces cerevisiae*, the inositol polyphosphate kinase activity of Kcs1p is required for resistance to salt stress, cell wall integrity, and vacuolar morphogenesis.
J. Biol. Chem. 277 : 23755-23763.
- El Alami, M., Feller, A., Pierard, A. and Dubois, E. (2002).
The proper folding of a long C-terminal segment of the yeast Lys14p regulator is required for activation of LYS genes in response to the metabolic effector.
Mol. Microbiol. 43 : 1629-1639.
- Enoru-Eta, J., Gigot, D., Glansdorff, N. and Charlier, D. (2002).
High resolution contact probing of the Lrp-like DNA-binding protein Ss-Lrp from the hyperthermoacidophilic crenarchaeote *Sulfolobus solfataricus* P2.
Mol. Microbiol. 45 : 1541-1555.
- Jamai, A., Dubois, E., Vershon, A.K. and Messenguy, F. (2002).
Swapping functional specificity of a MADS box protein: residues required for Arg80 regulation of arginine metabolism.
Mol. Cell. Biol. 22 : 5741-5752.

Massant, J., Verstreken, P., Durbecq, V., Kholti, A., Legrain, C., Beeckmans, S., Cornelis, P. and Glansdorff, N. (2002).

Metabolic channeling of carbamoyl phosphate, a thermolabile intermediate: evidence for physical interaction between carbamate kinase-like carbamoyl-phosphate synthetase and ornithine carbamoyltransferase from the hyperthermophile *Pyrococcus furiosus*.

J. Biol. Chem. 277 : 18517-18522.

Messenguy, F., Vierendeels, F., Pierard, A. and Delbecq, P. (2002).

Role of RNA surveillance proteins Upf1/CpaR, Upf2 and Upf3 in the translational regulation of yeast CPA1 gene.

Curr. Genet. 41 : 224-231.

Oudjama, Y., Tricot, C., Stalon, V. and Wouters, J. (2002).

Overexpression, purification, crystallization and preliminary X-ray crystallographic analysis of *Pseudomonas aeruginosa* L-arginine deiminase.

Acta Crystallogr. D Biol. Crystallogr. 58 : 2150-2152.

Rongvaux, A., Shea, R.J., Mulks, M.H., Gigot, D., Urbain, J., Leo, O. and Andris, F. (2002).

Pre-B-cell colony-enhancing factor, whose expression is up-regulated in activated lymphocytes, is a nicotinamide phosphoribosyltransferase, a cytosolic enzyme involved in NAD biosynthesis.

Eur. J. Immunol. 32 : 3225-3234.

Song, H., Wang, H., Gigot, D., Dimova, D., Sakanyan, V., Glansdorff, N. and Charlier, D. (2002).

Transcription regulation in thermophilic bacteria: high resolution contact probing of *Bacillus stearothermophilus* and *Thermotoga neapolitana* arginine repressor-operator interactions.

J. Mol. Biol. 315 : 255-274.

Thia-Toong, T.L., Roovers, M., Durbecq, V., Gigot, D., Glansdorff, N. and Charlier, D. (2002).

Genes of de novo pyrimidine biosynthesis from the hyperthermoacidophilic crenarchaeote *Sulfolobus acidocaldarius*: novel organization in a bipolar operon.

J. Bacteriol. 184 : 4430-4441.

De Bie, L.G., Roovers, M., Oudjama, Y., Wattiez, R., Tricot, C., Stalon, V., Droogmans, L. and Bujnicki, J.M. (2003).

The *yggH* gene of *Escherichia coli* encodes a tRNA (m7G46) methyltransferase.

J. Bacteriol. 185 : 3238-3243.

Droogmans, L., Roovers, M., Bujnicki, J.M., Tricot, C., Hartsch, T., Stalon, V. and Grosjean, H. (2003).

Cloning and characterization of tRNA (m1A58) methyltransferase (TrmI) from *Thermus thermophilus* HB27, a protein required for cell growth at extreme temperatures.

Nucleic Acids Res. 31 : 2148-2156.

El Alami, M., Dubois, E., Oudjama, Y., Tricot, C., Wouters, J., Stalon, V. and Messenguy, F. (2003).

Yeast epiarginase regulation, an enzyme-enzyme activity control: identification of residues of ornithine carbamoyltransferase and arginase responsible for enzyme catalytic and regulatory activities.

J. Biol. Chem. 278 : 21550-21558.

El Alami, M., Messenguy, F., Scherens, B. and Dubois, E. (2003).

Arg82p is a bifunctional protein whose inositol polyphosphate kinase activity is essential for nitrogen and PHO gene expression but not for Mcm1p chaperoning in yeast.

Mol. Microbiol. 49 : 457-468.

Messenguy, F. and Dubois, E. (2003).

Role of MADS box proteins and their cofactors in combinatorial control of gene expression and cell development.

Gene 316 : 1-21.

Wouters, J., Oudjama, Y., Barkley, S.J., Tricot, C., Stalon, V., Droogmans, L. and Poulter, C.D. (2003).

Catalytic mechanism of Escherichia coli isopentenyl diphosphate isomerase involves Cys-67, Glu-116, and Tyr-104 as suggested by crystal structures of complexes with transition state analogues and irreversible inhibitors.

J. Biol. Chem. 278 : 11903-11908.

Wouters, J., Oudjama, Y., Ghosh, S., Stalon, V., Droogmans, L. and Oldfield, E. (2003).

Structure and mechanism of action of isopentenylpyrophosphate-dimethylallylpyrophosphate isomerase.

J. Am. Chem. Soc. 125 : 3198-3199.

Wouters, J., Tricot, C., Durbecq, V., Roovers, M., Stalon, V. and Droogmans, L. (2003).

Preliminary X-ray crystallographic analysis of tRNA pseudouridine 55 synthase from the thermophilic eubacterium Thermotoga maritima.

Acta Crystallogr. D Biol. Crystallogr. 59 : 152-154.

Xu Y, Sun Y, Huysveld N, Gigot D, Glansdorff N, Charlier D. (2003).

Regulation of arginine biosynthesis in the psychropiezophilic bacterium Moritella profunda: in vivo repressibility and in vitro repressor-operator contact probing.

J. Mol. Biol. 326 : 353-69.

Bujnicki, J.M., Droogmans, L., Grosjean, H., Purushothaman, S.K. and Lapeyre, B. (2004).

Bioinformatics-Guided identification and experimental characterization of novel RNA methyltransferases.

Nucleic Acids and Molecular Biology 15 : 139-168.

Bujnicki, J.M., Oudjama, Y., Roovers, M., Owczarek, S., Caillet, J. and Droogmans, L. (2004).

Identification of a bifunctional enzyme MnmC involved in the biosynthesis of a hypermodified uridine in the wobble position of tRNA.

RNA 10 : 1236-1242.

Chiari, E., Lamsoul, I., Lodewick, J., Chopin, C., Bex, F. and Pique, C. (2004).

Stable ubiquitination of human T-cell leukemia virus type 1 tax is required for proteasome binding.

J. Virol. 78 : 11823-11832.

Devroede, N., Thia-Toong, T.L., Gigot, D., Maes, D. and Charlier, D. (2004).

Purine and pyrimidine-specific repression of the Escherichia coli carAB operon are functionally and structurally coupled.

J. Mol. Biol. 336 : 25-42.

Grosjean, H., Keith, G. and Droogmans, L. (2004).

Detection and quantification of modified nucleotides in RNA using thin-layer chromatography.

Methods Mol. Biol. 265 : 357-391.

Peeters, E., Thia-Toong, T.-L., Gigot, D., Maes, D. and Charlier, D. (2004)

Ss-LrpB, a novel Lrp-like regulator of Sulfolobus solfataricus P2, binds cooperatively to three conserved targets in its own control region.

Mol. Microbiol. 54 : 321-336.

Roovers, M., Wouters, J., Bujnicki, J.M., Tricot, C., Stalon, V., Grosjean, H. and Droogmans, L. (2004).

A primordial RNA modification enzyme: the case of tRNA (m1A) methyltransferase.

Nucleic Acids Res. 32 : 465-476.

Wilquet, V., Van de Castele, M., Gigot, D., Legrain, C. and Glansdorff, N. (2004).

Dihydropteridine reductase as an alternative to dihydrofolate reductase for synthesis of tetrahydrofolate in Thermus thermophilus.

J. Bacteriol. 186 : 351-355.

Wohlkönig, A., Stalon, V. and Vander Wauven, C.V. (2004).

Purification of ArcR, an oxidation-sensitive regulatory protein from Bacillus licheniformis.

Protein Expr. Purif. 37 : 32-38.

Wouters, J., Oudjama, Y., Stalon, V., Droogmans, L. and Poulter, C.D. (2004).

Crystal structure of the C67A mutant of isopentenyl diphosphate isomerase complexed with a mechanism-based irreversible inhibitor.

Proteins 54 : 216-221.

Charlier, D. and Droogmans, L. (2005).

Microbial life at high temperature, the challenges, the strategies.

Cell. Mol. Life Sci. 62 : 2974-2984.

Purta, E., van Vliet, F., Tricot, C., De Bie, L.G., Feder, M., Skowronek, K., Droogmans, L. and Bujnicki, J.M. (2005).

Sequence-structure-function relationships of a tRNA (m7G46) methyltransferase studied by homology modeling and site-directed mutagenesis.

Proteins 59 : 482-488.

Tricot, C., van Aelst, S., Wattiez, R., Mergeay, M., Stalon, V. and Wouters, J. (2005).

Overexpression, purification, crystallization and crystallographic analysis of CopK of *Cupriavidus metallidurans*.

Acta Crystallograph. Sect. F Struct. Biol. Cryst. Commun. 61 : 825-827.

Monchy, S., Auquier, V., van Aelst, S., Vallaey, T., Benotmane, R., van der Lelie, D., Taghavi, S., Wattiez, R. and Mergeay, M. (2005).

Organisation of heavy metal resistance genes in the four replicons of *Ralstonia metallidurans*.
Plasmid 53 : 39-40.

Wouters, J., Yin, F., Song, Y., Zhang, Y., Oudjama, Y., Stalon, V., Droogmans, L., Morita, C.T. and Oldfield, E. (2005).

A crystallographic investigation of phosphoantigen binding to isopentenyl pyrophosphate/dimethylallyl pyrophosphate isomerase.
J. Am. Chem. Soc. 127 : 536-537.

Lamsoul, I., Lodewick, J., Lebrun, S., Brasseur, R., Burny, A., Gaynor, R.B. and Bex, F. (2005).

Exclusive ubiquitination and sumoylation on overlapping lysine residues mediate NF-kappaB activation by the human T-cell leukemia virus tax oncoprotein.
Mol. Cell. Biol. 25 : 10391-10406.

Kress, E., Baydoun, H.H., Bex, F., Gazzolo, L. and Duc Dodon, M. (2005).

Critical role of hnRNP A1 in HTLV-1 replication in human transformed T lymphocytes.
Retrovirology 2 : 8.

Anderson, J.T. and Droogmans, L. (2005).

Biosynthesis and function of 1-methyladenosine in transfer RNA.
Topics in Current Genetics 12 : 121-139.

Feller, A., Boeckstaens, M., Marini, A.M. and Dubois, E. (2006).

Transduction of the nitrogen signal activating Gln3-mediated transcription is independent of Npr1 kinase and Rsp5-Bul1/2 ubiquitin ligase in *Saccharomyces cerevisiae*.
J. Biol. Chem. 281 :28546-28554.

Messenguy, F., André B., Dubois, E. (2006).

Diversity of Nitrogen Metabolism Among Yeast Species : Regulatory and Evolutionary Aspects.

In « Biodiversity and Ecophysiology of Yeasts ». Rosa, C.A. and Peter G. (eds). Springer, Berlin Heidelberg, pp. 123-153.

Purta, E., van Vliet, F., Tkaczuk K.L., Dunin-Horkawicz, S., Mori, H., Droogmans, L. and Bujnicki, J.M. (2006).

The yfhQ gene of *Escherichia coli* encodes a tRNA: Cm32/Um32 methyltransferase.
BMC Mol. Biol. 7 : 23.

Roovers, M., Hale, C., Tricot, C., Terns, M.P., Terns, R.M., Grosjean, H. and Droogmans, L. (2006).

Formation of the conserved pseudouridine at position 55 in archaeal tRNA.
Nucleic Acids Res. 34 : 4293-4301.

- Scherens, B., Feller, A., Vierendeels, F., Messenguy, F. and Dubois, E. (2006). Identification of direct and indirect targets of the Gln3 and Gat1 activators by transcriptional profiling in response to nitrogen availability in the short and long term. *FEMS Yeast Res.* 6 : 777-791.
- Tate, J.J., Feller, A., Dubois, E. and Cooper, T.G. (2006). *S. cerevisiae* sit4 phosphatase is active irrespective of the nitrogen source provided and Gln3 phosphorylation levels become nitrogen source-responsive in a sit4 deleted strain. *J. Biol. Chem.* 281 : 37980-37992.
- Zegers, I., Gigot, D., van Vliet, F., Tricot, C., Aymerich, S., Bujnicki, J.M., Kosinski, J. and Droogmans, L. (2006). Crystal structure of *Bacillus subtilis* TrmB, the tRNA (m7G46) methyltransferase. *Nucleic Acids Res.* 34 : 1925-1934.
- Baydoun, H., Duc-Dodon, M., Lebrun, S., Gazzolo, L. and Bex, F. (2007). Regulation of the human T-cell leukaemia virus gene expression depends on the localization of the regulatory proteins Tex, Rex and p30II in specific nuclear subdomains. *Gene* 386 : 191-201.
- Grosjean, H., Droogmans, L., Roovers, M. and Keith, G. (2007). Detection of enzymatic activity of transfer RNA modification enzymes using radiolabeled tRNA substrates. *Methods Enzymol.* 425 : 55-101.
- Barraud, P., Golinelli-Pimpaneau, B., Atmanene, C., Sanglier, S., Van Dorsselaer, A., Droogmans, L., Dardel, F. and Tisné C. (2008). Crystal structure of *Thermus thermophilus* tRNA m1A58 methyltransferase and biophysical characterization of its interaction with tRNA. *J. Mol. Biol.* 377 : 535-550.
- Georis, I., Tate, J.J., Cooper, T.G. and Dubois, E. (2008). Tor pathway control of the nitrogen-responsive DAL5 gene bifurcates at the level of Gln3 and Gat1 regulation in *Saccharomyces cerevisiae*. *J. Biol. Chem.* 283 : 8919-8929.
- Roovers, M., Oudjama, Y., Kaminska, K.H., Purta, E., Caillet, J., Droogmans, L. and Bujnicki, J.M. (2008). Sequence-structure-function analysis of the bifunctional enzyme MnmC that catalyses the last two steps in the biosynthesis of hypermodified nucleoside mnm(5)s(2)U in tRNA. *Proteins* 71 : 2076-2085.
- Roovers, M., Kaminska, K.H., Tkaczuk, K.L., Gigot, D., Droogmans, L. and Bujnicki, J.M. (2008). The YqfN protein of *Bacillus subtilis* is the tRNA: m1A22 methyltransferase (TrmK). *Nucleic Acids Res.* 36 : 3252-3262.
- Tate, J.J., Georis, I., Feller, A., Dubois, E. and Cooper, T.G. (2009). Rapamycin-induced Gln3 dephosphorylation is insufficient for nuclear localization: Sit4 and PP2A phosphatases are regulated and function differently.

J. Biol. Chem. 284 : 2522-2534.

Georis, I., Feller, A., Tate, J.J. and Dubois, E. (2009).

Nitrogen catabolite repression-sensitive transcription as a readout of Tor pathway regulation : the genetic background, reporter gene and GATA factor assayed determine the outcomes. Genetics 181 : 861-874.

Urbonavicius, J., Droogmans, L., Armengaud, J. and Grosjean H. (2009).

Deciphering the complex enzymatic pathway for biosynthesis of wyosine derivatives in anticodon of tRNA-Phe.

In: « DNA and RNA modification enzymes: structure, mechanism, function and evolution ». Grosjean, H. (ed). Landes Bioscience, Austin, pp 426-438.

Georis, I., Feller, A., Vierendeels, F. and Dubois, E. (2009).

The yeast GATA factor Gat1 occupies a central position in NCR-sensitive gene activation. Mol. Cell. Biol. 29 : 3803-3815.

Kempenaers, M., Roovers, M., Oudjama, Y., Tkaczuk, K.L., Bujnicki, J.M. and Droogmans, L. (2010).

New archaeal methyltransferases forming 1-methyladenosine or 1-methyladenosine and 1-methylguanosine at position 9 of tRNA.

Nucleic Acids Res. 38 : 6533-6543.

de Crécy-Lagard, V., Brochier-Armanet, C., Urbonavicius, J., Fernandez, B., Phillips, G., Lyons, B., Noma, A., Alvarez, S., Droogmans, L., Armengaud, J. and Grosjean, H. (2010). Biosynthesis of wyosine derivatives in tRNA : an ancient and highly diverse pathway in Archaea.

Mol. Biol Evol. 27 : 2062-2077.

Tate, J.J., Georis, I., Dubois, E. and Cooper, T.G. (2010).

Distinct phosphatase requirements and GATA factor responses to nitrogen catabolite repression and rapamycin treatment in *Saccharomyces cerevisiae*.

J. Biol. Chem. 285 : 17880-17895.

Dutoit, R., Dubois, E. and Jacobs, E. (2010).

Selection systems based on dominant-negative transcription factors for precise genetic engineering.

Nucleic Acids Res. 38 : e183.

Cubaka Kabagale, A., Cornu, B., van Vliet, F., Meyer, C.-L., Mergeay, M., Lumbu Simbi, J.-B., Droogmans, L., Vander Wauven, C. and Verbruggen, N. (2010).

Plant Soil 334 : 461-474.

Georis, I., Tate, J.J., Feller, A., Cooper, T.G. and Dubois, E. (2011).

Intranuclear function for protein phosphatase 2A: Pph21 and Pph22 are required for rapamycin-induced GATA factor binding to the DAL5 promoter in yeast.

Mol. Cell. Biol. 31 : 92-104.

Fislage, M., Roovers, M., Münnich, S., Droogmans, L. and Versées W. (2011).

Crystallization and preliminary X-ray crystallographic analysis of putative tRNA-modification enzymes from *Pyrococcus furiosus* and *Thermus thermophilus*.
Acta Crystallogr. Sect. F Struct. Biol. Cryst. Commun. 67 : 1432-1435.

Roovers, M., Oudjama, Y., Fislage, M., Bujnicki, J.M., Versées, W. and Droogmans, L. (2012).

The open reading frame TTC1157 of *Thermus thermophilus* HB27 encodes the methyltransferase forming N2-methylguanosine at position 6 in tRNA.
RNA 18 : 815-824.

Fislage, M., Roovers, M., Tuszczynska, I., Bujnicki, J.M., Droogmans, L. and Versées, W. (2012).

Crystal structures of the tRNA:m2G6 methyltransferase Trm14/TrmN from two domains of life.
Nucleic Acids Res. 40 : 5149-5161.